

SAFETY DATA SHEET

Revision Date: 02/15/2012

Print Date: 5/11/2012

MSDS Number: R0336582

Version: 1.8

Eagle One™ NEVR-DULL® WADDING

POLISH

785016

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Ashland	Regulatory Information Number	1-800-325-3751
P.O. Box 2219	Telephone	614-790-3333
Columbus, OH 43216	Emergency telephone number	1-800-ASHLAND (1-800-274-5263)
Product name	Eagle One™ NEVR-DULL® WADDING POLISH	
Product code	785016	

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: solid, off-white

CAUTION! MAY AFFECT THE CENTRAL NERVOUS SYSTEM CAUSING DIZZINESS, HEADACHE OR NAUSEA. MAY BE HARMFUL IF INHALED. PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION.

Potential Health Effects

Exposure routes

Inhalation, Skin contact, Eye Contact

Eye contact

May cause mild eye irritation. Symptoms include stinging, tearing, and redness.

Skin contact

May cause mild skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking of skin, and skin burns. Passage of this material into the body through the skin is possible, but it is unlikely that this would result in harmful effects during safe handling and use.

SAFETY DATA SHEET

Revision Date: 02/15/2012

Print Date: 5/11/2012

MSDS Number: R0336582

Version: 1.8

Eagle One™ NEVR-DULL® WADDING

POLISH

785016

Ingestion

This material is not likely to be swallowed. Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

Inhalation

Breathing of vapor or mist is possible. Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable (see Section 8.).

Aggravated Medical Condition

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin, lung (for example, asthma-like conditions)

Symptoms

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea), irritation (nose, throat, airways), central nervous system depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness), irregular heartbeat

Target Organs

Exposure to this material (or a component) has been found to cause kidney damage in male rats. The mechanism by which this toxicity occurs is specific to the male rat and the kidney effects are not expected to occur in humans.

Carcinogenicity

This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

Reproductive hazard

There are no data available for assessing risk to the fetus from maternal exposure to this material.

3. COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET

Revision Date: 02/15/2012

Print Date: 5/11/2012

MSDS Number: R0336582

Version: 1.8

Eagle One™ NEVR-DULL® WADDING

POLISH

785016

Hazardous Components	CAS-No. / Trade Secret No.	Concentration
ALIPHATIC HYDROCARBONS	64742-88-7	>=1%
SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC	64742-96-7	>=1%

4. FIRST AID MEASURES

Eyes

If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

Skin

Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

Notes to physician

Hazards: This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity (See Section 2 - Swallowing) when deciding whether to induce vomiting.

Treatment: No information available.

5. FIREFIGHTING MEASURES

SAFETY DATA SHEET

Revision Date: 02/15/2012

Print Date: 5/11/2012

MSDS Number: R0336582

Version: 1.8

Eagle One™ NEVR-DULL® WADDING
POLISH
785016

Suitable extinguishing media

Water mist, Carbon dioxide (CO₂), Dry chemical

Hazardous combustion products

Aldehydes, carbon dioxide and carbon monoxide, Hydrocarbons

Precautions for fire-fighting

If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release. Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIA

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

For personal protection see section 8. Eliminate all sources of ignition such as flares, flames (including pilot lights), and electrical sparks.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Scoop or scrape up. Put in container for recovery or disposal.

7. HANDLING AND STORAGE

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. Avoid prolonged or frequently repeated skin contact with this material. Skin contact can be minimized by wearing impervious protective gloves. As with all products of this nature, good personal hygiene is essential. Hands and other exposed areas should be washed thoroughly with soap and water

SAFETY DATA SHEET

Revision Date: 02/15/2012

Print Date: 5/11/2012

MSDS Number: R0336582

Version: 1.8

Eagle One™ NEVR-DULL® WADDING
POLISH
785016

after contact, especially before eating and/or smoking. Regular laundering of contaminated clothing is essential to reduce indirect skin contact with this material.

Storage

Do not store near extreme heat, open flame, or sources of ignition.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Exposure controls

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Eye protection

Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection

Wear resistant gloves such as:

Nitrile rubber

Wear normal work clothing including long pants, long-sleeved shirts and foot covering to prevent direct contact of the product with the skin. Launder clothing before reuse. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.

Respiratory protection

Respiratory protection is not required under normal conditions of use.

SAFETY DATA SHEET

Revision Date: 02/15/2012

Print Date: 5/11/2012

MSDS Number: R0336582

Version: 1.8

Eagle One™ NEVR-DULL® WADDING

POLISH

785016

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	solid
Form	woven fabric
Colour	off-white
Odour	hydrocarbon-like
Boiling point/boiling range	354 °F / 179 °C Calculated Phase Transition Liquid/Gas

Flash point	145 °F / 63 °C
Vapour pressure	0.600 mmHg @ 68 °F / 20 °C
Density	0.805 g/cm ³ @ 60.1 °F / 15.6 °C
Water solubility	practically insoluble

Viscosity, dynamic	not applicable
Viscosity, kinematic	not applicable

10. STABILITY AND REACTIVITY

Stability

Stable.

Conditions to avoid

Heat, flames and sparks.

Incompatible products

Strong oxidizing agents

Hazardous decomposition products

Aldehydes, carbon dioxide and carbon monoxide, Hydrocarbons

Hazardous reactions

Product will not undergo hazardous polymerization.

SAFETY DATA SHEET

Revision Date: 02/15/2012

Print Date: 5/11/2012

MSDS Number: R0336582

Version: 1.8

Eagle One™ NEVR-DULL® WADDING

POLISH

785016

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity

Acute oral toxicity - Product : no data available

Acute oral toxicity - Components

ALIPHATIC HYDROCARBONS : LD 50: > 5,000 mg/kg Species: Rat

SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC : LD 50: > 5 g/kg Species: Rat Remarks: Information given is based on data obtained from similar substances.

Acute inhalation toxicity

Acute inhalation toxicity - Product : no data available

Acute inhalation toxicity - Components

ALIPHATIC HYDROCARBONS : LC 50: > 5500 ppm Exposure time: 4 h Species: Rat

SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC : LC 50: > 5 mg/l Exposure time: 4 h Species: Rat Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity

Acute dermal toxicity - Product : no data available

Acute dermal toxicity - Components

ALIPHATIC HYDROCARBONS : LD 50: > 3,000 mg/kg Species: Rabbit

SOLVENT NAPHTHA (PETROLEUM), HEAVY : LD 50: > 2,000 mg/kg Species: Rat Remarks: Information given is based on data obtained from similar substances.

SAFETY DATA SHEET

Revision Date: 02/15/2012

Print Date: 5/11/2012

MSDS Number: R0336582

Version: 1.8

Eagle One™ NEVR-DULL® WADDING

POLISH

785016

ALIPHATIC

Acute toxicity (other routes of administration)

Acute toxicity (other routes of administration) : no data available

12. ECOLOGICAL INFORMATION**Biodegradability**

Biodegradability - Product : no data available

Bioaccumulation

Bioaccumulation - Product : no data available

Ecotoxicity effects**Toxicity to fish**

Toxicity to fish - Product : no data available

Toxicity to daphnia and other aquatic invertebrates.

Toxicity to daphnia and other aquatic invertebrates. - Product : no data available

Toxicity to algae

Toxicity to algae - Product : no data available

Toxicity to bacteria

Toxicity to bacteria - Product : no data available

SAFETY DATA SHEET

Revision Date: 02/15/2012

Print Date: 5/11/2012

MSDS Number: R0336582

Version: 1.8

Eagle One™ NEVR-DULL® WADDING

POLISH

785016

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Dispose of in accordance with all applicable local, state and federal regulations.

14. TRANSPORT INFORMATION

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

U.S. DOT - ROAD

Not dangerous goods

U.S. DOT - RAIL

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TRANSPORT CANADA - ROAD

Not dangerous goods

TRANSPORT CANADA - RAIL

Not dangerous goods

TRANSPORT CANADA - INLAND WATERWAYS

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

SAFETY DATA SHEET

Revision Date: 02/15/2012

Print Date: 5/11/2012

MSDS Number: R0336582

Version: 1.8

Eagle One™ NEVR-DULL® WADDING

POLISH

785016

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION

California Prop. 65

WARNING! This product contains a chemical known to the State of California to cause cancer.	BENZENE
WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.	BENZENE TOLUENE

SARA Hazard Classification

SARA 311/312 Classification

Acute Health Hazard

New Jersey RTK Label Information

ALIPHATIC HYDROCARBONS	64742-88-7
SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC	64742-96-7
CONTENTS PARTIALLY UNKNOWN	

Pennsylvania RTK Label Information

ALIPHATIC HYDROCARBONS	64742-88-7
SOLVENT NAPHTHA (PETROLEUM), HEAVY ALIPHATIC	64742-96-7
CONTENTS PARTIALLY UNKNOWN	
BENZENE	71-43-2

SAFETY DATA SHEET

Revision Date: 02/15/2012

Print Date: 5/11/2012

MSDS Number: R0336582

Version: 1.8

Eagle One™ NEVR-DULL® WADDING

POLISH

785016

Notification status

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL). (Can. Gaz. Part II, Vol. 133)	y (positive listing)
Japan. Kashin-Hou Law List	y (positive listing)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	y (positive listing)
China. Inventory of Existing Chemical Substances	y (positive listing)
Australia. Industrial Chemical (Notification and Assessment) Act	y (positive listing)
Korea. Toxic Chemical Control Law (TCCL) List	y (positive listing)
US. Toxic Substances Control Act	y (positive listing)

Reportable quantity - Product

US. EPA CERCLA Hazardous Substances (40 CFR 302)	50505 lbs
--	-----------

Reportable quantity-Components

BENZENE	71-43-2	10 lbs
---------	---------	--------

	HMIS	NFPA
Health	1	1
Flammability	2	2
Physical hazards	0	
Instability		0
Specific Hazard	--	--

16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).