

Material Safety Data Sheet

FORM NUMBER: 50089

Section I Product Information/Preparation Information				
Identity: Boat Wax		Product Use: Maintenance		
Manufacturer's Name Theftford Corporation		Emergency Telephone Number (734) 769-6000; (800) 424-9300 (CHEMTREC-24 hours)		
Address 7101 Jackson Road Ann Arbor, MI 48103		Telephone Number for Information (734) 769-6000		
		Date Prepared 11-Jun-12	Prepared By Janis M. Thomson	
Section II - Hazardous Ingredients/Identify Information				
Hazardous Components	CAS #	OSHA PEL	ACGIH	Other Limits
Hydrotreated light distillate (petroleum)	64742-47-8			300 ppm
OMS Naptha	64742-48-9			300 ppm
Kaolin	1332-58-7	10 mg/m3		
Ethene, Tetrafluoro-, homopolymer	9002-84-0	10 mg/m3		
Section III - Hazards Identification and Toxicological Information				
Emergency Overview:				
Warning! Combustible liquid and vapor. May be irritating to the eyes, skin and mucous membranes.				
Route(s) of Entry:				
Inhalation: May cause dizziness, headaches, and irritation to the respiratory tract.				
Skin Contact: May cause irritation upon prolonged or repeated contact. May dry or defat the skin.				
Eye contact: Causes burning and redness.				
Ingestion: May result in severe irritation of the mouth, throat and stomach.				
Chronic effects:				
Carcinogenicity: Not carcinogenic.				
Teratogenicity: Not teratogenic.				
Mutagenicity: Not mutagenic.				
Sensitization to Material: None known				
Synergistic materials: None known				
Toxicological Information: Not available.		LD ₅₀ :	LC ₅₀ :	
		LD ₅₀ :	LC ₅₀ :	
Section IV - First Aid Procedures:				
Inhalation: Remove to fresh air. Contact a physician.				
Ingestion: Do not induce vomiting. Drink 2 glasses of water. Contact a physician.				
Skin: Wash thoroughly with soap and water. If irritation persists, get medical attention.				
Eyes: Flush eyes with large amounts of water for a minimum of 15 minutes. Get medical attention immediately..				
Section V - Fire and Explosion Hazard Data				
Flash Point (Method used) 136°F (58°C) (PMCC)		Flammable Limits by Volume NA		LEL NA
				UEL NA
Extinguishing Media Carbon dioxide, dry chemical, foam		Hazardous Combustion Products Carbon monoxide		
Special Fire fighting Procedures Material floats on water.		Auto-ignition Temperature Not applicable	Sensitivity to Static Discharge No data available	
Unusual Fire and Explosion Hazards None		Conditions of Flammability Combustible		
Explosion Data Cool fire-exposed containers with water.		Sensitivity to Mechanical Impact No data available		

Section VI - Personal Protective Equipment		
Respiratory Protection: Not required under normal use.		
Engineering Controls: Good general ventilation should be sufficient to control airborne levels.		
Protective Gloves: Ruber gloves	Eye Protection: Safety glasses	
Other Protective Clothing or Equipment: Protective clothing to avoid skin contact. Eyewash station and safety shower.		
Work/Hygienic Practices Do not smoke while using. Wash thoroughly after handling especially before eating, drinking or smoking.		
Section VII - Accidental Release Measures/Preventative Measures		
Steps to be Taken in Case Material is Released or Spilled: Dike spills. Cover with absorbent materials. Collect spilled material. Place in a container for disposal.		
Waste Disposal Method Dispose of in accordance with federal, state and local regulations.		
Precautions to be Taken in Handling and Storing Keep away from heat, sparks and flame. Keep containers closed when not in use.		
Other Precautions Do not get liquid in eyes. Wash thoroughly after handling.		
Section VIII - Physical/Chemical Characteristics		
Boiling Point No data	Specific Gravity (H2O = 1) 0.98 - 1.01	Physical State Liquid
Vapor Pressure (mm Hg) Not determined	Melting Point NA	Odor Threshold Not determined
Vapor Density (AIR = 1) Not determined	Evaporation Rate (Butyl Acetate = 1) Not determined 0% by weight volatile	Freezing Point Not determined
Solubility in Water No data	pH NA	Coeff. Water/Oil Dist. Not available
Appearance and Odor Tan colored liquid with hydrocarbon odor		
Section IX - Reactivity Hazards		
Stability <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable	Hazardous Polymerization Pkg Group: May Occur <input checked="" type="checkbox"/> Will Not Occur	
Incompatibility (Materials to Avoid) Strong oxidizers.		
Hazardous Decomposition or Byproducts Carbon Monoxide, fumes and smoke.		
Conditions to Avoid Heat, sparks and flame.		
Section XI - Shipping Information		
Transportation Status: Regulated		
ID Number: UN1993	Proper Shipping Name: Flammable liquids, n.o.s. (mineral spirits) (Limited Quantity)	Hazard Class: 3 Pkg Group: III
Regulated under all modes of transportation as UN1993 in limited quantities. Consult the individual regulations, IATA via air, IMDG via water and TDG for Canadian shipping information. NOT PACKAGED FOR AIR TRANSPORT.		