DATE: 12/02/10 PAGE: 1 OF 8

SAFETY DATA SHEET

This Safety Data Sheet conforms to ANSI Z400.5, and to the format requirements and the International Chemical Safety Cards of the Global Harmonizing System. THIS SDS COMPLIES WITH 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD) IMPORTANT: Read this SDS before handling & disposing of this product. Pass this information on to employees, customers, & users of this product.

SECTION 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

PRODUCT IDENTITY: CROWN BRUSH CLEANER NEXT SUPERCEDES: 11/30/2010 **REVISION DATE:** 12/02/2010 COMPANY IDENTITY: Packaging Service Co., Inc. 1904 Mykawa Road / P O Box 875 COMPANY ADDRESS: COMPANY CITY: Pearland, TX 77581 COMPANY PHONE: 1-281-485-1458 EMERGENCY PHONES: CHEMTREC: 1-800-424-9300 (USA) CANUTEC: 1-613-996-6666 (CANADA)

SECTION 2. HAZARDS IDENTIFICATION

WARNING!

EXPOSURE PREVENTION: STRICT HYGIENE!

RISK STATEMENTS:

R36/37/38	Irritating to eyes, respiratory system and skin.				
R50/53	Very toxic to aquatic organisms, may cause long-term				
	adverse effects in the aquatic environment.				
R22	Harmful if swallowed.				
R43	May cause sensitization by skin contact.				
R65	Harmful: may cause lung damage if swallowed.				
R10a	Combustible (North America). Flammable (elsewhere).				

SAFETY STATEMENTS:

S2	Koon	out	of	tho	reach	of	children.
32	NEED	out	υı	LIIC	reach	UI.	CITTULEI!

- Do not breathe gas, fumes, vapor, or spray. Avoid contact with skin. S23
- S24
- S37
- Wear suitable gloves. This material and its container must be disposed of as S60 hazardous waste.
- Avoid release to the environment. Refer to special S61 instructions/safety data sheet.
- S62 If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

SEE SECTION 11 FOR OTHER TOXICOLOGICAL INFORMATION (ACUTE & CHRONIC HAZARDS)

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MATERIAL Water Madium Alinhatic Namhtha	CAS# 7732-18-5 *64742-88-7	EINECS# 231-791-2	WT % 60-70 25-30
Medium Aliphatic Naphtha Dimethyl Glutarate	1119-40-0	- 214-277-2	0-5
Soy Methyl Esters d-Limonene	67784-80-9 5989-27-5	- 227-813-5	0-5 0-5
Nonylphenol Ethoxylate Dimethyl Succinate	9016-45-9 106-65-0	- 203-419-9	0-5 0-5
Dimethyl Adipate	627-93-0	211-020-6	0-5
Surfactant	-	-	0-5

SECTION 4. FIRST AID MEASURES

EYE CONTACT:

For eyes, flush with plenty of water for 15 minutes & get medical attention.

SKIN CONTACT:

In case of contact with skin immediately remove contaminated clothing. Wash thoroughly with soap & water. Wash contaminated clothing before reuse.

INHALATION:

After high vapor exposure, remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, trained personnel should immediately begin artificial respiration. If the heart has stopped, trained personnel should immediately begin cardiopulmonary resuscitation (CPR).

SWALLOWING:

Rinse mouth. Do NOT induce vomiting. GET MEDICAL ATTENTION IMMEDIATELY. Do NOT give liquids to an unconscious or convulsing person.

SECTION 5. FIRE FIGHTING MEASURES

FIRE & EXPLOSION PREVENTIVE MEASURES NO open flames, NO sparks, & NO smoking. Above flash point, use a closed system, ventilation, explosion-proof electrical equipment, lighting.

EXTINGUISHING MEDIA

Use dry powder, AFFF, alcohol-resistant foam, water spray, carbon dioxide.

SPECIAL FIRE FIGHTING PROCEDURES
Water spray may be ineffective on fire but can protect fire-fighters
& cool closed containers. Use fog nozzles if water is used.
Do not enter confined fire-space without full bunker gear.
(Helmet with face shield, bunker coats, gloves & rubber boots).
Use NIOSH approved positive-pressure self-contained breathing apparatus.

UNUSUAL EXPLOSION AND FIRE PROCEDURES

COMBUSTIBLE! Isolate from oxidizers, heat, & open flame. Closed containers may explode if exposed to extreme heat. Applying to hot surfaces requires special precautions. Empty container very hazardous! Continue all label precautions!

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE MEASURES: Keep unprotected personnel away. Ventilate spill area. Remove all ignition sources. Filter respirator for organic vapors.

ENVIRONMENTAL PRECAUTIONS: Keep from entering storm sewers and ditches which lead to waterways.

CONTAINMENT AND CLEAN-UP MEASURES: Stop spill at source. Dike and contain. Absorb remaining liquid in sand or inert absorbent. Remove to safe place.

SECTION 7. HANDLING AND STORAGE

HANDLING

Isolate from oxidizers, heat, & open flame. Use only with adequate ventilation. Avoid breathing of vapor or spray mist. Avoid contact with skin & eyes. Wear OSHA Standard goggles or face shield. Consult Safety Equipment Supplier. Wear gloves, apron & footwear impervious to this material. Wash clothing before reuse. Avoid free fall of liquid. Ground containers when transferring. Do not flame cut, braze, or weld. Empty container very hazardous! Continue all label precautions! To minimize static discharge when transferring, ensure electrical continuity by bonding and grounding all equipment. Use an inlet line diameter of at least 3.5 inches (8.9 centimeters) with a maximum flow rate of 1 meter/second.

STORAGE

Keep in fireproof surroundings. Keep separated from strong oxidants. Store in an area without a drain or sewer access. Do not store above 49 C/120 F. Keep container tightly closed & upright when not in use to prevent leakage.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

MATERIAL	CAS#	EINECS#	TWA (OSHA)	TLV (ACGIH)
Water	7732-18-5	231-791-2	None Known	None Known
Medium Aliphatic Naphtha	*64742-88-7	-	5 mg/m3	5 mg/m3
Dimethyl Glutarate	1119-40-0	214-277-2	None Known	None Known
Soy Methyl Esters	67784-80-9	-	None Known	None Known
d-Limonene	5989-27-5	227-813-5	None Known	50 ppm
Nonylphenol Ethoxylate	9016-45-9	-	None Known	None Known
Dimethyl Succinate	106-65-0	203-419-9	None Known	None Known
Dimethyl Adipate	627-93-0	211-020-6	None Known	None Known
Surfactant	-	-	None Known	None Known

This product contains no EPA Hazardous Air Pollutants (HAP) in amounts > 0.1%. Using manufacturers' data, based on EPA Method 311, the following EPA Hazardous Air Pollutants may be present in trace amounts (less than 0.1%): Cumene, Polycyclic Aromatics

RESPIRATORY EXPOSURE CONTROLS

A respiratory protection program that meets OSHA 29 CFR 1910.134 and ANSI Z86.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a respirator's use.

VENTILATION

cceptable
one
anual of
0

PERSONAL PROTECTIONS:

Wear OSHA Standard goggles or face shield. Consult Safety Equipment Supplier. Wear gloves, apron & footwear impervious to this material. Wash clothing before reuse.

DATE: 12/02/10 PAGE: 5 OF 8

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION (CONTINUED)

WORK & HYGIENIC PRACTICES: Provide readily accessible eye wash stations & safety showers. Wash at end of each workshift & before eating, smoking or using the toilet. Promptly remove clothing that becomes contaminated. Destroy contaminated leather articles. Launder or discard contaminated clothing.

SECTION 9. PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE: Liquid, Water-White Lemon ODOR: ODOR THRESHOLD: Not Available pH (Neutrality): Not Applicable MELTING POINT/FREEZING POINT: Not Available BOILING RANGE (IBP, 50%, Dry Point): 51 C / 125 F (TCC) FLASH POINT (TEST METHOD): EVAPORATION RATE (n-BUTYL ACETATE=1): Not Applicable FLAMMABILITY CLASSIFICATION: Class II LOWER FLAMMABLE LIMIT IN AIR (% by vol): UPPER FLAMMABLE LIMIT IN AIR (% by vol): Not Available VAPOR PRESSURE (mm of Hg)@20 C VAPOR DENSITY (air=1): 16.7 0.897 GRAVITY @ 68/68 F / 20/20 C: SPECIFIC GRAVITY (Water=1): 0.938 POUNDS/GALLON: 7.814 WATER SOLUBILITY: Appreciable PARTITION COEFFICIENT (n-Octane/Water): Not Available AUTO IGNITION TEMPERATURE: 260 C / 500 F **DECOMPOSITION TEMPERATURE:** Not Available **REFRACTIVE INDEX:** 1.368 VOC'S (>0.44 Lbs/Sq In) : TOTAL VOC'S (TVOC)*: NONEXEMPT VOC'S (CVOC)*: HAZARDOUS AIR POLLUTANTS (HAPS): 0.0 Wt% /0.0 g/L / 0.000 Lbs/Gal NONEXEMPT VOC PARTIAL PRESSURE (mm of Hg @ 20 C) 0.070

* Using California South Coast Air Quality Management District (SCAQMD) Rule 443.1.

SECTION 10. STABILITY & REACTIVITY

STABTI TTY Stable under normal conditions.

CONDITIONS TO AVOID Isolate from oxidizers, heat, & open flame.

MATERIALS TO AVOID Reacts with strong oxidants, causing fire & explosion hazard.

HAZARDOUS DECOMPOSITION PRODUCTS Carbon Monoxide, Carbon Dioxide from burning.

HAZARDOUS POLYMERIZATION Will not occur.

103 117 223*C/218 244 434*F(*=End Point) 0.95 (Lowest Component) 0.0 Vol% /0.0 g/L / 0.000 Lbs/Gal 33.9 Vol% / 276.8 g/L / 2.3 Lbs/Gal 29.4 Vol% / 231.4 g/L / 1.9 Lbs/Gal

SECTION 11. TOXICOLOGICAL INFORMATION

ACUTE HAZARDS

EYE & SKIN CONTACT: Primary irritation to skin, defatting, dermatitis. Primary irritation to eyes, redness, tearing, blurred vision. Liquid can cause eye irritation. Wash thoroughly after handling.

INHALATION:

Anesthetic. Irritates respiratory tract. Acute overexposure can cause serious nervous system depression. Vapor harmful.

SWALLOWING:

Harmful or fatal if swallowed. Swallowing can cause abdominal irritation, nausea, vomiting & diarrhea. The symptoms of chemical pneumonitis may not show up for a few days.

SUBCHRONIC HAZARDS/CONDITIONS AGGRAVATED

CONDITIONS AGGRAVATED Persons with severe skin, liver or kidney problems should avoid use.

CHRONIC HAZARDS

CANCER, REPRODUCTIVE & OTHER CHRONIC HAZARDS: Leukemia been reported in humans from Benzene. This product contains less than 1 ppm of Benzene. Not considered hazardous in such low concentrations. Absorption thru skin may be harmful.

MAMMALIAN TOXICITY INFORMATION

No mammalian information is available on this product.

SECTION 12. ECOLOGICAL INFORMATION

AQUATIC ANIMAL INFORMATION: No aquatic environmental information is available on this product. The substance is very toxic to aquatic organisms. Bioaccumulation of this chemical may occur in aquatic animals. Environmental effects of the substance have not been investigated adequately.

MOBILITY IN SOIL

This material is a mobile liquid.

DEGRADABILITY

This product is partially biodegradable.

ACCUMULATION Bioaccumulation of this product has not been determined.

SECTION 13. DISPOSAL CONSIDERATIONS

Processing, use or contamination may change the waste management options. Recycle / dispose of observing national, regional, state, provincial and local health, safety & pollution laws. If in doubt, contact appropriate agencies.

SECTION 14. TRANSPORT INFORMATION

DOT SHIPPING NAME: NONBULK: None BULK: NA1993, Compounds, Cleaning Liquid, Combustible liquid, PG-III Combustible liquid. Not DOT regulated on trucks in containers of < 119 gallons. DRUM LABEL: None (Combustible Liquid) IATA / ICAO: UN1993, Flammable Liquids, n.o.s., 3, PG-III IMO / IMDG: UN1993, Flammable Liquids, n.o.s., 3, PG-III EMERGENCY RESPONSE GUIDEBOOK NUMBER: 128

SECTION 15. REGULATORY INFORMATION

EPA REGULATION: SARA SECTION 311/312 HAZARDS: Acute Health, Fire

All components of this product are on the TSCA list. SARA Title III Section 313 Supplier Notification This product contains the indicated <*> toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning & Community Right-To-Know Act of 1986 & of 40 CFR 372. This information must be included in all MSDSs that are copied and distributed for this material.

DATE: 12/02/10 PAGE: 7 OF 8

SECTION 15. REGULATORY INFORMATION (CONTINUED)

INTERNATIONAL REGULATIONS
The components of this product are listed on the chemical inventories of the
following countries:
Australia (AICS), Canada (DSL, NDSL), China (IECSC), Europe (EINECS, ELINCS),
Japan (METI/CSCL, MHLW/ISHL), South Korea (KECI), New Zealand (NZIOC),
Philippines (PICCS), Switzerland (SWISS), Taiwan (NECSI), USA (TSCA).

CANADA: WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS) B3: Combustible Liquid. D2B: Irritating to skin / eyes.

SECTION 16. OTHER INFORMATION

HAZARD RATINGS:

HEALTH (NFPA): 1, HEALTH (HMIS): 1, FLAMMABILITY: 2, REACTIVITY: 0 (Personal Protection Rating to be supplied by user based on use conditions.) This information is intended solely for the use of individuals trained in the NFPA & HMIS hazard rating systems.

EMPLOYEE TRAINING

See Section 2 for Risk & Safety Statements. Employees should be made aware of all hazards of this material (as stated in this SDS) before handling it.

NOTICE

The supplier disclaims all expressed or implied warranties of merchantability or fitness for a specific use, with respect to the product or the information provided herein, except for conformation to contracted specifications. All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency.

Conditions of use are beyond our control, and therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon information contained herein.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.

Unless updated, the Safety Data Sheet is valid until 12/02/2013.