



**BAYER ADVANCED TERMITE & CARPENTER BEE KILLER
PLUS FOAM**

Version 3 / USA
102000011452

1/11
Revision Date: 10/16/2013
Print Date: 12/21/2015

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE
COMPANY/UNDERTAKING**

Product identifier

Trade name BAYER ADVANCED TERMITE & CARPENTER BEE KILLER PLUS
FOAM
Product code (UVP) 06335683
SDS Number 102000011452
EPA Registration No. 72155-111

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide
Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

All Emergencies, 24hr/ 7 days 1-800-334-7577

**Product Information
Telephone No.**

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Other hazards

Contents under pressure.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
Imidacloprid	138261-41-3	0.05
Isobutane	75-28-5	7.50
Glycerine	56-81-5	4.77
Fatty alcohol ethoxylate	66455-15-0	2.00



**BAYER ADVANCED TERMITE & CARPENTER BEE KILLER
PLUS FOAM**

Version 3 / USA
102000011452

2/11
Revision Date: 10/16/2013
Print Date: 12/21/2015

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water, Carbon dioxide (CO₂), Dry chemical, Foam

Unsuitable None known.

Special hazards arising from the substance or mixture Product is contained in a pressurised container which may explode on heating.

Advice for firefighters

Special protective equipment for fire-fighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off



**BAYER ADVANCED TERMITE & CARPENTER BEE KILLER
PLUS FOAM**

Version 3 / USA
102000011452

3/11
Revision Date: 10/16/2013
Print Date: 12/21/2015

from fire fighting to enter drains or water courses.

Flash point	93.3 °C
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Remove all sources of ignition. Avoid contact with spilled product or contaminated surfaces. Isolate hazard area. Keep unauthorized people away.

Methods and materials for containment and cleaning up

Methods for cleaning up Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Contents under pressure. Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Conditions for safe storage, including any incompatibilities



**BAYER ADVANCED TERMITE & CARPENTER BEE KILLER
PLUS FOAM**

Version 3 / USA
102000011452

4/11
Revision Date: 10/16/2013
Print Date: 12/21/2015

**Requirements for storage
areas and containers**

Keep containers tightly closed in a dry, cool and well-ventilated place. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.

Store in original container and out of the reach of children, preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m ³ (TWA)		OES BCS*
Imidacloprid	138261-41-3	5 ug/m ³ (AN ESL)	07 2011	TX ESL
Imidacloprid	138261-41-3	50 ug/m ³ (ST ESL)	07 2011	TX ESL
Isobutane	75-28-5	1,000 ppm (TWA)	02 2012	ACGIH
Isobutane	75-28-5	1,000 ppm (STEL)	02 2012	ACGIH NIC
Isobutane	75-28-5	1,900 mg/m ³ / 800 ppm (REL)	2010	NIOSH
Isobutane	75-28-5	800 ppb (AN ESL)	07 2011	TX ESL
Isobutane	75-28-5	2040 ppb (ST ESL)	07 2011	TX ESL
Isobutane	75-28-5	1900 ug/m ³ (AN ESL)	07 2011	TX ESL
Isobutane	75-28-5	4800 ug/m ³ (ST ESL)	07 2011	TX ESL
Glycerine (Mist.)	56-81-5	10 mg/m ³ (TWA)	02 2012	ACGIH
Glycerine (Total dust.)	56-81-5	15 mg/m ³ (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m ³ (PEL)	02 2006	OSHA Z1
Glycerine (Total dust.)	56-81-5	10 mg/m ³ (TWA)	1989	OSHA Z1A
Glycerine (Respirable fraction.)	56-81-5	5 mg/m ³ (TWA)	1989	OSHA Z1A
Glycerine (Total dust and mist.)	56-81-5	10 mg/m ³ (TWA)	06 2008	TN OEL



**BAYER ADVANCED TERMITE & CARPENTER BEE KILLER
PLUS FOAM**

Version 3 / USA
102000011452

5/11
Revision Date: 10/16/2013
Print Date: 12/21/2015

Glycerine (Respirable fraction and dust or fume.)	56-81-5	5 mg/m3 (TWA)	06 2008	TN OEL
Glycerine	56-81-5	5 ug/m3 (AN ESL)	03 2012	TX ESL
Glycerine	56-81-5	100 ug/m3 (AN ESL)	03 2012	TX ESL
Glycerine	56-81-5	50 ug/m3 (ST ESL)	03 2012	TX ESL
Glycerine	56-81-5	1000 ug/m3 (ST ESL)	03 2012	TX ESL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

- Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure.
- Hand protection** Chemical resistant nitrile rubber gloves
- Eye protection** Safety glasses with side-shields
- Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.
- General protective measures** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** white
- Physical State** Foam
- Odor** almost odourless
- Odour Threshold** no data available
- pH** 5.0 - 7.0 (10 %)
- Vapor Pressure** no data available



**BAYER ADVANCED TERMITE & CARPENTER BEE KILLER
PLUS FOAM**

Version 3 / USA
102000011452

6/11
Revision Date: 10/16/2013
Print Date: 12/21/2015

Vapor Density (Air = 1)	no data available
Density	ca. 1.01 g/cm ³ at 20 °C
Evaporation rate	no data available
Boiling Point	no data available
Melting / Freezing Point	no data available
Water solubility	soluble
Minimum Ignition Energy	no data available
Decomposition temperature	no data available
Partition coefficient: n-octanol/water	no data available
Viscosity	3 mPa.s at 25 °C
Flash point	93.3 °C
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition no data available

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

Conditions to avoid Heat, flames and sparks.



**BAYER ADVANCED TERMITE & CARPENTER BEE KILLER
PLUS FOAM**

Version 3 / USA
102000011452

7/11
Revision Date: 10/16/2013
Print Date: 12/21/2015

Incompatible materials	no data available
Hazardous decomposition products	Thermal decomposition can lead to release of: Hydrogen cyanide (hydrocyanic acid) Carbon oxides Nitrogen oxides (NOx)

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Skin contact, Ingestion, Eye contact
Immediate Effects	
Eye	No eye irritation
Skin	May cause slight irritation.
Ingestion	Harmful if swallowed.
Information on toxicological effects	
Acute oral toxicity	LD50 (female rat) > 5,000 mg/kg
Acute inhalation toxicity	Cannot be prepared and tested in a respirable form. no data available
Acute dermal toxicity	LD50 (male/female combined rat) > 5,000 mg/kg
Skin irritation	Slight irritation (rabbit)
Eye irritation	No eye irritation (rabbit)
Sensitisation	Non-sensitizing. (guinea pig) OECD Test Guideline 406, Buehler test

Assessment repeated dose toxicity
Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity
Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity
Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH
None.

NTP
None.



**BAYER ADVANCED TERMITE & CARPENTER BEE KILLER
PLUS FOAM**

Version 3 / USA
102000011452

8/11
Revision Date: 10/16/2013
Print Date: 12/21/2015

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (Rainbow trout (*Oncorhynchus mykiss*)) 211 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic invertebrates

EC50 (Water flea (*Daphnia magna*)) 85 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient imidacloprid.

LC50 (*Chironomus riparius* (non-biting midge)) 0.0552 mg/l
Exposure time: 24 h
The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic plants

EC50 (*Desmodesmus subspicatus*) > 10 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient imidacloprid.

Biodegradability

Imidacloprid: not rapidly biodegradable

Koc

Imidacloprid: Koc:225

Bioaccumulation

Imidacloprid:
Does not bioaccumulate.

Mobility in soil

Imidacloprid: Moderately mobile in soils



**BAYER ADVANCED TERMITE & CARPENTER BEE KILLER
PLUS FOAM**

Version 3 / USA
102000011452

9/11
Revision Date: 10/16/2013
Print Date: 12/21/2015

Environmental precautions Apply this product as specified on the label.
Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.
Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.

Contaminated packaging Do not re-use empty containers.
Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.
Place empty container in trash.

RCRA Information Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number **1950**
Class **2.2**
Packaging group
Proper shipping name **AEROSOLS**

IMDG

UN number **1950**
Class **2.2**
Packaging group
Marine pollutant **NO**
Proper shipping name **AEROSOLS**

IATA

UN number **1950**
Class **2.2**
Packaging group
Environm. Hazardous Mark **NO**
Proper shipping name **AEROSOLS, NON-FLAMMABLE**

This transportation information is not intended to convey all specific regulatory information relating to



**BAYER ADVANCED TERMITE & CARPENTER BEE KILLER
PLUS FOAM**

Version 3 / USA
102000011452

10/11
Revision Date: 10/16/2013
Print Date: 12/21/2015

this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 72155-111

US Federal Regulations

TSCA list

Isobutane	75-28-5
Glycerine	56-81-5
Fatty alcohol ethoxylate	66455-15-0

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Isobutane	75-28-5	CT, MN, NJ
Glycerine	56-81-5	MN, RI

Canadian Regulations

Canadian Domestic Substance List

Isobutane	75-28-5
Glycerine	56-81-5
Fatty alcohol ethoxylate	66455-15-0

Environmental

CERCLA

Isobutane	75-28-5	100 lbs
-----------	---------	---------

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Isobutane	75-28-5
Glycerine	56-81-5

EPA/FIFRA Information:



**BAYER ADVANCED TERMITE & CARPENTER BEE KILLER
PLUS FOAM**

Version 3 / USA
102000011452

11/11
Revision Date: 10/16/2013
Print Date: 12/21/2015

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed.
Avoid contact with skin, eyes and clothing.
Wash thoroughly with soap and water after handling.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 2 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 2 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 10/16/2013

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.