

PRODUCT SAFETY DATA SHEET

Print date: 09 Jul 2008

1. PRODUCT AND COMPANY IDENTIFICATION

Item Number / Product code: 0100531 (1299-150A)

Product name: LYSOL® BRAND DISINFECTANT POWER TOILET BOWL

CLEANER (LIQUID)

Validation / Revision Date: 09 July 2008

EPA Identifier: EPA Reg. Number: 777-81

Formula Number: 1299-150A (0100531)

UPC Number and Size: 19200-02522 (24 oz.) HDPE Angle Neck plastic bottle.

Product Description: Toilet bowl cleaner (liquid).

Manufacturer: Reckitt Benckiser North America, Inc.

Morris Corporate Center IV

399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225

Emergency Telephone Number: 1-800-228-4722 (U.S)

Product code: 0100531 (1299-150A)

Transportation Emergencies: 1-800-424-9300 (U.S. & Canada) CHEMTREC

Outside the U.S. and Canada (North America), call: 703-527-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS

Components:	Wt %	ACGIH:	OSHA:
PARETH 25-9	1-5	None	None
68131-39-5			
HYDROCHLORIC ACID 30%	30-35	Ceiling: 2 ppm @10	Ceiling: 5 ppm @10
7647-01-0			Ceiling: 7 mg/m³ @10
PEG-2 TALLOW AMINE	1-5	None	None
61791-26-2			

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

DANGER: CORROSIVE.

Causes irreversible eye damage and skin burns.
HARMFUL OR FATAL IF SWALLOWED!
DO NOT get in eyes, on skin or on clothing.

Wear protective eyewear [safety glasses / goggles], protective gloves and protective clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

Remove and wash contaminated clothing before re-use.

DO NOT breathe in vapor or fumes.

Contains Hydrochloric Acid.

Do not use with chlorine bleach or any other chemical products.

KEEP OUT OF REACH OF CHILDREN

4. FIRST AID MEASURES

Inhalation: If inhaled, move person to fresh air. If person is NOT breathing, Call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control

Center or Doctor for further treatment advice.

Skin contact: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of

water for at least 15-20 minutes. Call a Poison Control Center or Doctor for treatment advice.

Eye contact: If in eyes, IMMEDIATELY hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses if present after the first 5 minutes then continue rinsing eye.

Call a Poison Control Center or Doctor for treatment advice.

Ingestion: If swallowed, Call a Poison Control Center or Doctor IMMEDIATELY for treatment advice.

Have person sip a glass of water if able to swallow. DO NOT INDUCE VOMITING unless told to do so by the Poison Control Center or Doctor. Do not give anything to an unconscious

person.

Notes to physician: Contains hydrochloric acid.

Contains surfactants.

Probable mucosal damage may contraindicate the use of gastric lavage.

Aggravated Medical Conditions: No information available.

Product code: 0100531 (1299-150A)

5. FIRE-FIGHTING MEASURES

Flash point: CLOSED CUP: Higher than 93.3° C (>200° F). [Tagliabue].

Flammability Limits in Air:

Lower: No information available. No information available. Upper:

No information available. **Autoignition temperature:**

Suitable extinguishing media: As suitable for surrounding fire.

Extinguishing media which must not No information available.

be used for safety reasons:

Specific hazards: DANGER!

CORROSIVE!

The active concentration of HCI (Hydrochloric Acid) is 9.5%.

See Section 3, Hazards Identification.

Unusual hazards: None known

Special protective equipment for

Product code: 0100531 (1299-150A)

firefighters:

As in any fire, wear self-contained breathing apparatus, pressure-demand, MSHA / NIOSH

(approved or equivalent) and full protective gear.

Specific methods: Standard procedure for chemical fires.

NFPA: Health: 3 Flammability: 0 Instability: 1 Other data: COR

HMIS: Health: 3 Flammability: 0 Reactivity: 1

Personal Protection Index = D. Key:

(Also see Sections 3 & 8)

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation.

Environmental precautions: Do not allow material to contaminate ground water system.

Methods for cleaning up: When performing the required clean-up operation, wear suitable protective clothing, gloves and

eye/face protection.

Small spills: Dilute with water and mop up, or absorb with an inert material and place in an

appropriate waste disposal container.

Large spills: Contain and collect for later disposal according to local, provincial, state or federal

regulations.

7. HANDLING AND STORAGE

Handling: Use in well-ventilated area.

Safe handling advice: Do not get in eyes, on skin, or on clothing.

Wear protective eyewear (safety glasses/goggles), protective gloves and protective clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum

or using tobacco.

Remove and wash contaminated clothing before re-use.

Do not breathe vapor or fumes.

Do not close toilet bowl lid while soaking. Read and follow product label instructions.

Storage: Store containers in an upright position in a cool, dry area, inaccessable to small children and

pets.

Store in original container out of reach of small children. Keep securely closed in a cool, well-ventilated area. Do not reuse container or refill this container. KEEP OUT OF REACH OF CHILDREN

Incompatible products: Bases.

Metals. (Corrosive to aluminum.)

Do not mix with chlorine bleach, strong alkali materials or other household chemicals.

DO NOT allow to come in contact with any surfaces other than the toilet bowl.

This product should not be used on or placed on toilet bowl lids, vanities, sinks, bathtubs,

cabinets, counter tops, rugs, etc.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

For occupational exposures, ensure adequate ventilation.

Personal Protective Equipment

Product code: 0100531 (1299-150A)

Respiratory protection: None required under normal use conditions.

Use in a well-ventilated area.

Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.

Hand protection: CORROSIVE TO SKIN!

Wear impervious gloves where the potential for contact with the liquid is possible.

Read product label instructions carefully.

Emergency responders should wear impermeable gloves.

Eye protection: CORROSIVE TO EYES!

Wear eye / face protection.

If splashes are likely to occur wear chemical goggles and full face shield.

Emergency responders should wear full eye and face protection.

Skin and body protection: Usual safety precautions while handling the product will provide adequate protection against

injury or irritation. Follow product label instructions.

Hygiene measures: Avoid contact with eyes, skin, and clothing.

Wash hands with soap and water after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid.

Appearance: Clear. Viscous.

Colour: Blue

Odour: Wintergreen

pH: Less than (<) 1.0 [Strongly acidic] Flash point: Greater than 93° C (>200° F)

Specific gravity:1.040-1.050Vapour pressure:Not determined.Solubility:Completely soluble.

Explosion limits:

Product code: 0100531 (1299-150A)

- upper: No data available.- lower: No data available.

10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions.

Polymerization: Hazardous polymerisation does not occur.

Hazardous decomposition products: Small amounts of HCI (Hydrogen Chloride) vapors.

Oxides of carbon and unknown organic compounds.

Materials to avoid: Do not mix with other household chemicals.

Incompatible with bases.

Bleach.

Conditions to avoid: Store away from excessive heat and moisture.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Component Information:

Product Information

LC50/inhalation/4h/rat = LD50/dermal/rabbit = LD50/oral/rat = No information available. No information available. No information available.

Local effects

Skin irritation: Corrosive liquid.

Causes severe burns.

Do not get on skin or clothing.

Eye irritation: Corrosive liquid.

Causes irreversible eye damage.

Do not get into eyes.

Inhalation Contains hydrochloric acid.

Do not breathe vapor or fumes. Use only in a well ventilated area.

For occupational exposures, ensure adequate exhaust ventilation to control contaminant levels

are below the TLV or PEL, or wear appropriate personal protective equipment (respirator).

Ingestion Contains hydrochloric acid.

Harmful or fatal if swallowed. See Section 4 for First Aid Instructions.

Sensitization Not expected to be a skin sensitiser.

Chronic toxicity: No information available.

Specific effects

Product code: 0100531 (1299-150A)

Carcinogenic effects: Not listed as carcinogenic by OSHA, NTP or IARC.

Mutagenic effects: No information available.

Reproductive toxicity: No information available.

Target organ effects: No information available.

12. ECOLOGICAL INFORMATION

Product Information

Aquatic toxicity: Harmful to aquatic organisms if bulk quantities are spilled into a watersource.

<u>Component Information:</u>
HYDROCHLORIC ACID 30%

7647-01-0 (30-35)

Ecotoxicity: = 3.6 mg/L LC50 bluegill

Other information:

Ozone depletion potential; ODP; (R-11 = 1) =

Global warming potential (GWP) =

No information available. No information available.

Additional ecological information:

Bulk quantities, if spilled, may be toxic to aquatic organisms,

fish, birds and mammals. Control and clean up all exterior spills and prevent liquid from entering any streams, rivers,

lakes and all other bodies of water.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused

Product code: 0100531 (1299-150A)

products:

Dispose of in accordance with local regulations.

Contaminated packaging: Do not re-use or refill this container.

Offer for recycling, if available.

Waste Disposal: Wear appropriate personal protective equipment when cleaning up or handling waste material.

Small quantities of waste liquid may be discharged into a sanitary sewer. Discard any

absorbed material in trash collection. Rinse empty container thoroughly and discard in trash or

ecvcle.

Large quantities of waste liquid: Contain and collect for evaluation and disposal according to

local, state, provincial and federal regulations.

14. TRANSPORT INFORMATION

UN / Id No: UN 1760

DOT:

Classification: UN 1760 - Corrosive Liquid, N.O.S. (Hydrochloric Acid, Hydroxyethyl alkylamine) Class 8, PG

II, Limited Quantity

Re-Classed as Consumer Commodity ORM-D.

Proper shipping name: Consumer Commodity

U.S. DOT - Hazard Class: Not applicable.
Subsidiary risk: Not applicable.
Packing Group: Not applicable.
DOT RQ (lbs): Not applicable.
ERG No: 171 / 154

TDG (Canada):

Classification: UN 1760 - Corrosive Liquid, N.O.S. (Hydrochloric Acid, Hydroxyethyl alkylamine) Class 8, PG

II, Limited Quantity

Re-Classed as Consumer Commodity

Proper shipping name: Consumer Commodity

Status: Not applicable. Packing Group: Not applicable.

IMDG / IMO

Classification: UN 1760 Corrosive Liquid, N.O.S., (Contains Hydrochloric Acid and Hydroxyethyl alkylamine),

Class 8, PG II, Limited Quantity.

Proper shipping name: Corrosive Liquid, N.O.S., (Contains Hydrochloric Acid and Hydroxyethyl alkylamine)

Class:

Subsidiary Risk: Not applicable.

Packing group:

IMDG page:Not applicable.Marine pollutant:Not applicable.EMS:F-A / S-BMFAG:Not applicable.Maximum quantity:See DG List.

ADR / RID

Classification:
Proper shipping name:
Class:
Subsidiary risk:
ADR/RID-labels:
Hazard Identification Number:
CEFIC Tremcard No:
Not applicable.
Not applicable.
Not applicable.
Not applicable.
Not applicable.

ICAO / IATA:

Classification: UN 1760 Corrosive Liquid, N.O.S., (Contains Hydrochloric Acid and Hydroxyethyl alkylamine),

Class 8, PG II.

Proper shipping name: Corrosive Liquid, N.O.S., (Contains Hydrochloric Acid and Hydroxyethyl alkylamine)

Class:

Subsidiary Risk: Not applicable

Packing Group:

Maximum quantity See DG List and applicable packing instructions.

15. REGULATORY INFORMATION

Components:	PICCS:	TSCA:	DSL:	NDSL:	ENCS:	CHINA:	AICS:	EINECS-No
PARETH 25-9		ΧU	Present		Present.	Present	Present	None.
HYDROCHLORIC ACID 30%		T	Present			Present	Present	231-595-7

PEG-2 TALLOW AMINE	XU	Present		Present	AICS No.	
					310-94-1A	i

U.S. Regulations:

Components: *PARETH 25-9 - 68131-39-5*

NJRTK: Not Listed.

California Proposition 65 - None.

Components: HYDROCHLORIC ACID 30% - 7647-01-0

NJRTK: Listed. SN #1012

California Proposition 65 - None.

Components: PEG-2 TALLOW AMINE - 61791-26-2

NJRTK: Not Listed.
California Proposition 65 - None.
CERCLA/SARA 313: None

Canada

WHMIS hazard class: Not determined.

16. OTHER INFORMATION

National Fire Protection Association (U.S.A.):

Product code: 0100531 (1299-150A)



HMIS (U.S.A.):

Health Hazard	3
Fire Hazard	0
Reactivity	1
Personal Protection	D

Reason for revision: This is a new formulation of an existing product.

Additional advice: This product should only be used as directed on the label and for the purpose intended.

Prepared by: Reckitt Benckiser (U.S.) Inc.

Product Safety Department

1 Philips Parkway

Montvale, New Jersey 07646-1810 USA.

Phone: 201-573-6391 FAX: 201-476-7770. Ms. Kathleen Hubert

kathleen.hubert@reckittbenckiser.com

Disclaimer: To the best of our knowledge, the information contained herein is accurate. However, neither

the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described

herein, we cannot guarantee that these are the only hazards that exist.