

This industrial Material Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Suavitel Fabric Softener

Effective Date: January 10, 2007

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

COLGATE-PALMOLIVE COMPANY

300 Park Avenue New York NY 10022

PRODUCT NAME: Suavitel Fabric Softener

CAS NUMBER: Not applicable – product is a mixture

GENERAL USE: Formulated fabric softener.

EMERGENCY TELEPHONE NUMBER: For emergency involving spill, leak, fire, exposure or accident, call CHEMTREC (800) 424-9300, day or night

For MEDICAL EMERGENCIES involving this product call

(888)489-3861.

2. COMPOSITION/INFORMATION ON INGREDIENTS

OSHA-REGULATED COMPONENTS (present at a

concentration of > or = 1%):

Component CAS# % PEL TLV

Not Applicable

The following components, present at a concentration of > or = 0.1%, are listed as carcinogens or potential carcinogens by either the National Taylorlogy Program (NTP), the

by either the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC) or

OSHA:

Component CAS# % PEL TLV

Not Applicable

3. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYE CONTACT: May cause eye irritation on direct contact.

SKIN CONTACT: May cause skin irritation. Prolonged or repeated contact may cause allergic skin reaction.

INGESTION: May be harmful if swallowed in large quantities.

INHALATION: No adverse effect expected.

4. FIRST AID MEASURES

EYE CONTACT: Flush eyes with large amounts of water for 15 minutes. Get medical attention if irritation persists.

SKIN CONTACT: Rinse area with plenty of water. Get medical attention if irritation persists.

INGESTION: Drink 1-2 glasses of water. Get medical attention.

INHALATION: Not Applicable.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Water spray, all-purpose dry chemical, CO₂.

SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus and protective clothing should be worn when fighting chemical fires.

Suavitel Fabric Softener 1

6. ACCIDENTAL RELEASE MEASURES

Collect and remove to disposal container. Spill area may be slippery. Flush with plenty of water.

7. HANDLING AND STORAGE

Store in a tightly closed container in a cool, dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

GENERAL CONTROLS: Avoid eye contact.

PROTECTIVE CLOTHING: The use of safety goggles and protective gloves is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Viscous liquid. Flash Point (Method): Not Applicable

10. STABILITY AND REACTIVITY

GENERAL: This product is stable. Hazardous polymerization will not occur.

INCOMPATIBLE MATERIALS: Avoid contact with acids and strong oxidizing agents.

HAZARDOUS DECOMPOSITION: May produce irritating and/or toxic fumes upon thermal decomposition.

11. TOXICOLOGICAL INFORMATION

This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 3 of the MSDS.

12. ECOLOGICAL INFORMATION

There is currently no ecological information available at this time.

13. DISPOSAL CONSIDERATIONS

Any disposal practice must be in compliance with local, state, and federal laws and regulations (contact local or state environmental agency for specific rules). Do not dump into sewers, any body of water or onto the ground.

14. TRANSPORTATION

Not regulated as a DOT hazardous material.

Suavitel Fabric Softener 2

15. REGULATORY INFORMATION

RCRA (40 CFR 261, Subpart D): Not Applicable

CLEAN WATER ACT:

Some variants contain potassium hydroxide which is a Section 311 material.

CLEAN AIR ACT:

All variants contain isopropyl alcohol which is a Section 111 material. Some variants contain acrylamide and methanol which are Section 111 and Section 112 materials.

SARA:

Sections 301-304 (Threshold planning quantity - TPQ) 40 CFR 355: Some variants contain acrylamide which has a TPQ of 1,000 lbs.

Section 313 (Toxic chemical release reporting) 40 CFR 372: The following chemicals must be reported under SARA 313: Not Applicable

CERCLA: Section 102 (Reportable Quantity - RQ) 40

CFR 302: Not Applicable

New Jersey Right to Know Hazardous Substance List:

This product contains the following components subject to reporting requirements: All variants contain mineral oil, isopropyl alcohol. Some variants contain potassium hydroxide, methanol, BHT and acrylamide.

Pennsylvania Hazardous Substance List:

This product contains the following components subject to reporting requirements: All variants contain isopropyl alcohol. Some variants contain potassium hydroxide, methanol, BHT, and acrylamide.

Massachusetts Substance List:

This product contains the following components subject to reporting requirements: All variants contain isopropyl alcohol. Some variants contain potassium hydroxide, methanol, BHT, and acrylamide.

Canada: Workplace Hazardous materials Information System (WHMIS)-listed material. This product contains the following components subject to reporting requirements: None

TSCA Section 8(b) Inventory Status: All ingredients in this product are listed on the TSCA Inventory or are not required to be listed on the TSCA Inventory

16. OTHER INFORMATION

Effective Date: January 10, 2007 Supersedes MSDS dated: June 6, 2006 Revised Sections 5, 9, 12, 15

The information on this sheet is limited to the material identified and is believed by the Colgate-Palmolive Company to be correct based on its knowledge and information as of the date noted. Colgate makes no representation, guarantee or warranty, expressed or implied, as to the accuracy, reliability or completeness of the information and assumes no responsibility for injury, damage or loss resulting from the use of the material.

Suavitel Fabric Softener 3